

State of Alaska  
Department of Fish and Game  
Nomination for Waters  
Important to Anadromous Fish

English Bay River 241-30-10500  
Segment J-01

AWC Volume SE SC SW W AR IN USGS Quad Soldovia B-5  
Anadromous Water Catalog Number of Waterway 241-30-10500-2009  
Name of Waterway English Bay River USGS name \_\_\_\_\_ Local name \_\_\_\_\_  
Addition ✓ Deletion \_\_\_\_\_ Correction \_\_\_\_\_ Backup Information \_\_\_\_\_

For Office Use

Nomination # <u>91 285</u>	<u>[Signature]</u> Regional Supervisor	<u>11/9/94</u> Date
Revision Year: <u>'94</u>	<u>[Signature]</u> Drafted	<u>12/28/93</u> Date
Revision to: Atlas _____ Catalog _____ Both <u>X</u>	<u>2</u> Drafted	<u>1/28/94</u> Date
Revision Code: <u>A-2d</u>		

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous
<u>Coho Salmon - Juvenile</u>	<u>9-15-93</u>		<u>12</u>		<u>✓</u>

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: Coho salmon fly distribution extends from the stream mouth to the spring (barrier).  
Stream width ranges from 2 meters at the mouth to 3 meters at the upper extent. Gradient is  
one percent. Predominant stream substrate is gravel.

ALASKA DEPT. OF  
FISH & GAME

NOV 03 1993

Name of Observer (please print) KATHAUN SUNDET

Date: 10/29/93 Signature: [Signature]

Address: 333 RASPBERRY

ANCHORAGE AK 99518

REGION II  
HABITAT AND RESTORATION  
DIVISION

This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_

Rev. 7/93

241-30-10500 5-01  
 STREAM HABITAT ASSESSMENT 1993 - SEGMENTS

STREAM: English Bay SEGMENT: 1-01 DATE: 9/15/93 TEAM: KS/WG  
 ANADROMOUS: ☒ WIDTH (m): 2 - 3 LENGTH (m): 40 GPS DATE:   /  /   DIGITIZE: y n  
 WATERBODY: mainstem tributary lake/pond wetland Intertidal other:   

FISH					WILDLIFE		
SPECIES	STAGE (A J U)	COUNT	METHOD (E V D)	COMMENTS	SPECIES	COUNT	COMMENTS
<u>Salmo</u>	<u>1</u>	<u>12</u>	<u>✓</u>	<u>To end</u>			

GRADIENT(%): 1 CHANNEL PROFILE: V □ ⊖ ∩ ∪ —  
 A B C D E F

CHANNEL PATTERN: single multi braided

STREAM SUBSTRATE: (rank three most predominant types) BEDROCK    BOULDER    RUBBLE    COBBLE     
 GRAVEL 1 SAND    MUD/SILT 2 ORGANICS 3 OTHER:   

STREAM COVER TYPE: ORGANIC DEBRIS ✓ DEAD BRANCHES/TWIGS ✓ LOGS    BOULDERS     
 CUT BANK ✓ OVERHANGING VEGET. ✓ OTHER:   

STREAM COVER ABUNDANCE: none low medium high

RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks:

OVERSTORY: Cottonwood Alder     
 UNDERSTORY: Alder fern grasses

CANOPY ABOVE STREAM: none low medium high

GROWTH: mature secondary shrubs meadow muskeg Intertidal

TOTAL BARRIER? y n BARRIER TO SPECIES: All adults juveniles (to end)

TYPE: fall slide beaverdam logjam spring substrate HEIGHT (m):    DIST. FROM UPPER EXTENT (m):   

PHOTO ROLL(s): Topex #1


VIDEO TAPE(s):   

FRAME	DESCRIPTION	DATE	DESCRIPTION
<u>34</u>	<u>End of Trib</u>		

Substrate: Bedrock (solid) Boulder >1' Rubble 6-12" Cobble 2-6" Gravel .1-2" Sand <.1"  
 Please enter comments on the other side)

Trib running to the northwest.  
Small trib 40M in length, ends at spring  
with small pool. Goes to furthest extent of  
Mud, salt, gravel; organics in stream.





241-30-10500 J-01  
(trib J)

AQQ STREAM 241-30-10500-2009

w/ CO<sub>2</sub>

USE ♦ SHORT STREAM



# MEMORANDUM

## State of Alaska

DEPARTMENT OF FISH & GAME

TO: Ed Weiss  
Habitat Biologist  
Region II  
Habitat and Restoration Division  
Department of Fish and Game

DATE: November 3, 1993

FILE NO.:

TELEPHONE NO.: 267-2295

SUBJECT: Anadromous Stream  
Nominations  
and Corrections  
Project R-51

FROM: Kathrin Sundet  
Habitat Biologist  
Region II  
Habitat and Restoration Division  
Department of Fish and Game

Attached are anadromous stream nominations and corrections to be included in the Anadromous Waters Catalog for 74 streams surveyed in the fall of 1993 on private lands held by the Port Graham, English Bay and Seldovia Native Corporations on the outer Kenai Peninsula.

Streams were surveyed by the Alaska Department of Fish and Game, Habitat and Restoration Division personnel, Kathrin Sundet, Jeff Barnhart, Dan Grey, and Wes Ghormley as part of Exxon Valdez Oil Spill Restoration project R-51 aka SHA (Stream Habitat Assessment).

Streams were surveyed on foot from the intertidal zone to the upper extent of anadromous fish distribution. Adult salmon and Dolly Varden were visually identified and enumerated. Juvenile salmon were visually identified in the stream, and then captured by electroshocking, dipnet, or minnow trap to confirm identification. Sampling was conducted periodically along the stream to determine the presence of juvenile salmon. No attempt was made to determine the rearing population sizes of juvenile salmon, or to determine the total escapement of adult salmon in a stream.

Stream data are on file at the Alaska Department of Fish and Game, Habitat and Restoration office, 333 Raspberry Road, Anchorage, Alaska.

cc: Lance Trasky  
Don McKay  
Mark Kuwada

ALASKA DEPT. OF  
FISH & GAME

NOV 03 1993

REGION II  
HABITAT AND RESTORATION  
DIVISION